


Abrasive paper, self-fastening

PS 33 BK



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	B-paper

Product benefit

Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing

Materials

Paint/Varnish/Filler	●
Wood	●
Plastic	◐

Applications

- ▶ Automotive industry
- ▶ Wind energy industry
- ▶ Aircraft construction
- ▶ Wood processing industry
- ▶ Craftsman companies

Available grits:

16 20 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 3000 4000

Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
125	150	○ 0	PS 33 BK	100	153152
125	180	○ 0	PS 33 BK	100	150435
125	220	○ 0	PS 33 BK	100	155143
125	320	○ 0	PS 33 BK	100	150461

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany
 Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186
 sales@klingspor.de - www.klingspor.de



Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
125	400	○ 0	PS 33 BK	100	150462
125	150	⊗ GLS 5	PS 33 BK	100	150760
125	180	⊗ GLS 5	PS 33 BK	100	147837
125	220	⊗ GLS 5	PS 33 BK	100	150259
125	240	⊗ GLS 5	PS 33 BK	100	147838
125	320	⊗ GLS 5	PS 33 BK	100	147839
125	400	⊗ GLS 5	PS 33 BK	100	147644
125	600	⊗ GLS 5	PS 33 BK	100	175988
125	180	⊗ GLS 27	PS 33 BK	100	282515
125	240	⊗ GLS 27	PS 33 BK	100	282516
125	320	⊗ GLS 27	PS 33 BK	100	283465
150	150	○ 0	PS 33 BK	100	148375
150	180	○ 0	PS 33 BK	100	146958
150	220	○ 0	PS 33 BK	100	149916
150	240	○ 0	PS 33 BK	100	146959
150	320	○ 0	PS 33 BK	100	146716
150	400	○ 0	PS 33 BK	100	147108
150	150	⊗ GLS 1	PS 33 BK	100	148379
150	180	⊗ GLS 1	PS 33 BK	100	147095
150	220	⊗ GLS 1	PS 33 BK	100	149794
150	240	⊗ GLS 1	PS 33 BK	100	147094
150	320	⊗ GLS 1	PS 33 BK	100	147096
150	400	⊗ GLS 1	PS 33 BK	100	147097
150	150	⊗ GLS 3	PS 33 BK	100	149151
150	180	⊗ GLS 3	PS 33 BK	100	146948
150	220	⊗ GLS 3	PS 33 BK	100	149255
150	240	⊗ GLS 3	PS 33 BK	100	146907
150	320	⊗ GLS 3	PS 33 BK	100	147126
150	400	⊗ GLS 3	PS 33 BK	100	147125
150	150	⊗ GLS 47	PS 33 BK	100	306839
150	180	⊗ GLS 47	PS 33 BK	100	306840
150	240	⊗ GLS 47	PS 33 BK	100	306842
150	320	⊗ GLS 47	PS 33 BK	100	306844
150	150	⊗ GLS 51	PS 33 BK	100	301928

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de



Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
150	180	⊗ GLS 51	PS 33 BK	100	304084
150	220	⊗ GLS 51	PS 33 BK	100	301929
150	240	⊗ GLS 51	PS 33 BK	100	304815
150	320	⊗ GLS 51	PS 33 BK	100	301930
150	400	⊗ GLS 51	PS 33 BK	100	310898
150	150	⊗ GLS 74	PS 33 BK	100	342045
150	180	⊗ GLS 74	PS 33 BK	100	340598
150	240	⊗ GLS 74	PS 33 BK	100	340599
150	320	⊗ GLS 74	PS 33 BK	100	342043
150	400	⊗ GLS 74	PS 33 BK	100	342042
225	150	○ 0	PS 33 BK	50	251230
225	180	○ 0	PS 33 BK	50	214629
225	220	○ 0	PS 33 BK	50	233622
225	240	○ 0	PS 33 BK	50	292193
225	150	⊗ GLS 38	PS 33 BK	50	293646
225	180	⊗ GLS 38	PS 33 BK	50	293647
225	220	⊗ GLS 38	PS 33 BK	50	293648
225	240	⊗ GLS 38	PS 33 BK	50	309010
225	150	⊗ GLS 52	PS 33 BK	50	302047
225	180	⊗ GLS 52	PS 33 BK	50	302048
225	220	⊗ GLS 52	PS 33 BK	50	302049
225	240	⊗ GLS 52	PS 33 BK	50	327940
225	180	⊗ GLS 55	PS 33 BK	50	314428
225	240	⊗ GLS 55	PS 33 BK	50	668075

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de

