



Abrasive paper, ANTISTATIC

PS 29 F ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Open
Backing	F-paper

Product benefit

High-quality universal belt for general woodworking, especially softwood - Reduced clogging and longer service life due to ACT recipe and antistatic properties

Materials

Wood ●

Applications

- ▶ Wood processing industry
- ▶ Furniture industry
- ▶ Window and door construction
- ▶ Craftsman companies

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Width x Length in mm	grain	type of joint	type of coat.abras.	Packing unit/pcs.	Cat. number
150 x 2000	80	F5 glued overlapped	PS 29 F	10	307797
150 x 2000	100	F5 glued overlapped	PS 29 F	10	307798
150 x 2000	120	F5 glued overlapped	PS 29 F	10	307799
150 x 2170	80	F5 glued overlapped	PS 29 F	10	307800
150 x 2170	120	F5 glued overlapped	PS 29 F	10	307801
150 x 2250	60	F5 glued overlapped	PS 29 F	10	307802

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany
Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186
sales@klingspor.de - www.klingspor.de



Width x Length in mm	grain	type of joint	type of coat.abras.	Packing unit/pcs.	Cat. number
150 x 2250	80	F5 glued overlapped	PS 29 F	10	307803
150 x 2250	100	F5 glued overlapped	PS 29 F	10	307804
150 x 2250	120	F5 glued overlapped	PS 29 F	10	307805
150 x 2250	150	F5 glued overlapped	PS 29 F	10	307806
150 x 2280	80	F5 glued overlapped	PS 29 F	10	307807
150 x 2280	100	F5 glued overlapped	PS 29 F	10	307808
150 x 2280	120	F5 glued overlapped	PS 29 F	10	307809
150 x 2600	80	F5 glued overlapped	PS 29 F	10	307811
150 x 2600	100	F5 glued overlapped	PS 29 F	10	307812
150 x 2600	120	F5 glued overlapped	PS 29 F	10	307813
150 x 3000	80	F5 glued overlapped	PS 29 F	10	307814
150 x 3000	100	F5 glued overlapped	PS 29 F	10	307815
150 x 3000	120	F5 glued overlapped	PS 29 F	10	307816
150 x 6800	80	F2 glued overlapped	PS 29 F	10	307821
150 x 6800	100	F2 glued overlapped	PS 29 F	10	307822
150 x 6800	120	F2 glued overlapped	PS 29 F	10	307823
150 x 6880	80	F2 glued overlapped	PS 29 F	10	307824
150 x 6880	100	F2 glued overlapped	PS 29 F	10	307825
150 x 6880	120	F2 glued overlapped	PS 29 F	10	307826
150 x 7100	60	F2 glued overlapped	PS 29 F	10	307828
150 x 7100	80	F2 glued overlapped	PS 29 F	10	307829
150 x 7100	100	F2 glued overlapped	PS 29 F	10	307830
150 x 7100	120	F2 glued overlapped	PS 29 F	10	307831
150 x 7100	150	F2 glued overlapped	PS 29 F	10	307832
150 x 7200	80	F2 glued overlapped	PS 29 F	10	307833
150 x 7200	100	F2 glued overlapped	PS 29 F	10	307834
150 x 7200	120	F2 glued overlapped	PS 29 F	10	307835
150 x 7500	80	F2 glued overlapped	PS 29 F	10	307837
150 x 7500	100	F2 glued overlapped	PS 29 F	10	307838
150 x 7500	120	F2 glued overlapped	PS 29 F	10	307839
150 x 7800	80	F2 glued overlapped	PS 29 F	10	307840
150 x 7800	100	F2 glued overlapped	PS 29 F	10	307841
150 x 7800	120	F2 glued overlapped	PS 29 F	10	307842
150 x 7800	150	F2 glued overlapped	PS 29 F	10	307843
200 x 1600	80	F5 glued overlapped	PS 29 F	10	307844
200 x 1600	100	F5 glued overlapped	PS 29 F	10	307845

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de



Width x Length in mm	grain	type of joint	type of coat.abras.	Packing unit/pcs.	Cat. number
200 x 1600	120	F5 glued overlapped	PS 29 F	10	307846
200 x 3000	80	F5 glued overlapped	PS 29 F	10	307847
200 x 3000	100	F5 glued overlapped	PS 29 F	10	307848
200 x 3000	120	F5 glued overlapped	PS 29 F	10	307849

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de

